



STANDARD PROFILE
SERIE



DİKDÖRTGEN KUTULAR



Profil No	a mm	b mm	s mm	kg/m
604.42	10	20	1,0	0,152
604.34	10	20	2,0	0,282
604.70	12	30	1,7	0,355
505.79	* 13	22	2,0	0,333
604.55	13	70	1,5	0,569
501.45	* 15	120	1,2	0,935
604.15	15,5	50,5	1,0	0,344
604.09	17	25	1,0	0,216
604.07	18	43,5	1,1	0,353
604.37	20	30	2,0	0,499
604.51	20	30	3,0	0,715
604.08	20	40	1,0	0,314
604.38	20	40	1,5	0,463
604.14	20	40	2,0	0,607
604.18	20	50	1,5	0,713
604.25	20	60	1,4	0,585
604.59	20	100	1,3	0,827
604.52	20	150	2,0	1,799
604.68	* 24	84	1,0	0,550
604.12	25	40	2,0	0,660
401.186	* 25	52	1,0	0,355
501.03	* 25	100	1,3	0,972
501.02	* 25	120	1,2	1,065
604.57	27	44	1,3	0,469
345.107	* 27,5	43,5	1,2	0,447
604.11	28	68	1,0	0,460

DİKDÖRTGEN KUTULAR



Profil No	a mm	b mm	s mm	kg/m
604.06	30	40	1,0	0,369
340.79	* 30	40	2,0	0,696
501.01	* 30	100	1,4	1,160
604.03	32	75	1,0	0,625
604.17	38	48	1,5	0,432
604.04	40	50	1,0	0,454
604.61	40	50	1,2	0,569
604.19	40	60	1,5	0,789
604.58	40	60	2,0	1,041
604.02	40	80	1,3	0,827
604.56	40	80	1,8	1,135
604.40	40	80	2,5	1,556
604.69	40	84	2,5	1,612
340.68	* 40	90	3,0	2,014
604.64	40	100	1,8	1,331
340.61	* 40	140	4,0	3,726
604.62	46	102	4	3,024
604.24	50	60	2,0	1,144
340.78	* 50	80	4,0	2,645
604.01	50	95	1,5	1,192
604.22	50	100	1,5	1,195
604.32	50	100	2,0	1,583
604.47	50	150	2,0	2,126
604.31	50	200	2,5	3,626
604.21	60	120	1,5	1,423
604.26	60	120	4,0	3,729

* İşaretili ürünlerde lütfen müşteri temsilcilerimizle görüşünüz.

Not: Katalog'ta verilen profil birim ağırlıklar hesaplanırken toleranslar dikkate alınmalıdır. (±) % 10 ' dur.

BORULAR



Profil No	D mm	s mm	kg/m
605.26	6	1,2	0,050
605.27	8	1,2	0,070
605.122	* 9	1,2	0,080
605.123	* 9,2	1,2	0,082
605.39	10	1,0	0,076
605.51	11	1,5	0,122
605.74	11,5	3,6	0,244
605.104	12	1,0	0,095
900.57	12	1,85	0,160
605.28	12	1,2	0,111
605.124	* 12,3	1,2	0,114
605.71	13	1,5	0,147
605.70	15	1,5	0,172
605.66	15,2	1,5	0,176
605.32	15,65	1,5	0,207
713.33	15,7	2,25	0,258
605.58	15,8	2,0	0,236
605.81	16	1,0	0,127
605.11	16	1,3	0,162
605.61	16	2,0	0,238
605.25	16	5,5	0,491
605.35	18	2,0	0,275
206.35	18	2,5	0,330
605.73	18	3,0	0,382
605.57	18,6	1,1	0,165
605.121	* 19	0,7	0,108

BORULAR



Profil No	D mm	s mm	kg/m
605.10	19	1,0	0,153
605.09	19	1,4	0,210
605.36	19	1,15	0,175
605.44	20	2,0	0,306
605.20	20	6,5	0,747
605.07	21	1,0	0,170
605.08	21	1,5	0,249
605.06	22	1,5	0,261
605.98	24	1,7	0,323
605.107	24,5	1,0	0,201
605.05	25	1,0	0,204
605.62	25	2,0	0,393
605.19	25	4,0	0,715
605.63	28	1,2	0,274
605.120	* 29	1,75	0,406
605.21	29,5	2,4	0,548
605.40	30	2,0	0,477
605.88	30	2,25	0,520
605.17	30	3,0	0,689
605.18	30	4,0	0,885
605.24	30	8,0	1,498
605.50	32	1,0	0,266
605.96	33	4,0	0,986
605.87	35	1,0	0,290
605.72	35	1,5	0,428
605.31	35	2,7	0,742

* İşaretili ürünlerde lütfen müşteri temsilcilerimizle görüşünüz.

Not: Katalog'ta verilen profil birim ağırlıklar hesaplanırken toleranslar dikkate alınmalıdır. (\pm) % 10 ' dur.

BORULAR


Profil No	D mm	s mm	kg/m
605.16	35	4,0	1,055
605.53	35	14,0	2,588
506.65	* 36,5	3,2	,921
605.89	38	1,5	0,466
605.131	40	1,0	0,332
605.54	40	1,3	0,428
605.38	40	2,0	0,648
605.102	40	2,4	0,770
605.15	40	3,0	0,945
605.109	40	4,0	1,226
605.127	* 42	1,25	0,434
605.49	42	1,5	0,518
605.93	42	6,0	1,838
605.114	45	2,5	0,905
605.90	47	2,0	0,767
605.91	47	6,0	2,095
605.119	48	3,7	1,396
605.29	48	5,0	1,830
605.02	50	1,4	0,579
605.103	50	1,5	0,621
605.82	50	1,8	0,740
605.04	50	2,0	0,817
605.23	50	2,5	1,007
605.48	50	3,0	1,201
605.65	50	4,0	1,566
605.67	55	2,5	1,117

BORULAR


Profil No	D mm	s mm	kg/m
605.92	55	5,5	2,317
508.016	* 57,15	1,65	0,780
605.43	60	1,1	0,556
330.36	60	1,5	0,745
605.55	60	2,0	0,986
605.100	60	3,0	1,455
605.101	60	5,0	2,341
605.45	63,3	1,4	0,737
605.46	63,5	1,4	0,740
508.017	* 63,5	1,6	0,843
605.52	64	1,2	0,642
605.115	65	2,5	1,330
605.56	70	1,5	0,875
605.83	72	1,2	0,724
605.95	72	3,0	1,762
605.118	73	7,0	3,940
605.03	75	1,0	0,629
605.116	75	2,5	1,543
605.84	76	1,2	0,764
605.47	76,6	1,5	0,959
605.117	85	2,5	1,756
605.60	100	2,5	2,076
605.01	101	1,1	0,935
605.106	101	1,5	1,271
605.37	105	1,45	1,278
605.97	110	5,0	4,470

* İşaretili ürünlerde lütfen müşteri temsilcilerimizle görüşünüz.

Not: Katalog'ta verilen profil birim ağırlıklar hesaplanırken toleranslar dikkate alınmalıdır. (±) % 10' dur.

